From-PILLSBURY WINTHROP

## CLAIM AMENDMENTS

- 1-9. (Canceled)
- 10. (Allowed) A vector comprising the nucleic acid of claim 41.
- 11. (Allowed) The vector of claim 10, wherein said vector is an expression vector.
- 12. (Allowed) The vector of claim 10 that is a prokaryotic vector.
- 13. (Allowed) The vector of claim 10 that is a eukaryotic vector.
- 14. (Allowed) A host cell comprising the vector of claim 10.
- 15. (Allowed) A host cell of claim 14 that is a prokaryotic cell.
- 16. (Allowed) A host cell of claim 14 that is a eukaryotic cell.
- 17-40. (Canceled)

- 41. (Allowed) An isolated nucleic acid comprising a nucleotide sequence selected from the group consisting of:
  - (a) the nucleotide sequence as set forth in SEQ ID NO: 2;
  - (b) a nucleotide sequence encoding the polypeptide as set forth in SEQ ID NO: 7;
  - (c) a nucleotide sequence complementary to (a) or (b).
  - 42. (Cancel)
- 43. (Currently Amended) An isolated nucleic acid comprising a nucleic acid sequence that is at least 90% identical to the sequence of the nucleic acid sequence of claim 41 and encodes a polypeptide that is capable of regulating steroid progesterone biosynthesis.
- 44. (Currently Amended) An isolated nucleic acid comprising a nucleic acid sequence that is at least 90% identical to the sequence of the nucleic acid sequence of claim 41 and encodes a polypeptide that is capable of mediating impairs cholesterol delivery.
  - 45. (Cancel)
- 46. (Currently Amended) An isolated nucleic acid that encodes a polypeptide that is capable of regulating steroid progesterone biosynthesis and hybridizes to the complement of the nucleic acid of claim 41(a) or 41(b) under the following stringent conditions: a final wash in 0.1X SSC at 65°C.

- 47. (Currently Amended) An isolated nucleic acid that encodes a polypeptide that is enpable of mediating impairs cholesterol delivery and hybridizes to the complement of the nucleic acid of claim 41(a) or 41(b) under the following stringent conditions: a final wash in 0.1X SSC at 65°C.
- 48. (Allowed) A process of producing a peripheral-type benzodiazepine-associated protein (PAP) comprising culturing the host cell of either claim 15 or 16 under suitable conditions to express a peripheral-type benzodiazepine-associated protein-7 (PAP7) encoded by the nucleic acid.
- 49. (Allowed) The process of claim 48, wherein the vector further comprises a heterologous promoter operatively linked to the nucleotide sequence encoding the peripheral-type benzodiazepine-associated protein-7 (PAP7) polypeptide.
- 50. (Currently Amended) A diagnostic reagent comprising a nucleic acid of claim 41, wherein the nucleic acid is detectably labeled.
- 51. (Currently Amended) A diagnostic reagent comprising a single-stranded nucleic acid of claim 41, wherein the nucleic acid is complementary and is detectable detectably labeled.
- 52. (Currently Amended) A diagnostic reagent comprising a single-stranded nucleic acid of claim 41, wherein the nucleic acid amplifies peripheral-type benzodiazepine-receptor-associated protein-7 (PAP7) sequences.

53-56. (Cancel)

- 57. (Previously Presented) A vector comprising the nucleic acid of claim 43.
- 58. (Previously Presented) A host cell comprising the vector of claim 57.
- 59. (Previously Presented) A process of producing a peripheral-type benzodiazepine-receptor-associated protein (PAP) comprising culturing the host cell of claim 58 under suitable conditions to express a peripheral-type benzodiazepine-receptor-associated protein-7 (PAP7) encoded by the nucleic acid.
- 60. (Currently Amended) A diagnostic reagent comprising a nucleic acid of claim 43, wherein the nucleic acid is detectably labeled.
  - 61. (Previously Presented) A vector comprising the nucleic acid of claim 44.
  - 62. (Previously Presented) A host cell comprising the vector of claim 61.
- 63. (Previously Presented) A process of producing a peripheral-type benzodiazepine-receptor-associated protein (PAP) comprising culturing the host cell of claim 62 under suitable conditions to express a peripheral-type benzodiazepine-receptor-associated protein-7 (PAP7) encoded by the nucleic acid.
- 64. (Currently Amended) A diagnostie reagent comprising a nucleic acid of claim 44, wherein the nucleic acid is detectably labeled.

65-68. (Cancel)

- 69. (Previously Presented) A vector comprising the nucleic acid of claim 46.
- 70. (Previously Presented) A host cell comprising the vector of claim 69.
- 71. (Previously Presented) A process of producing a peripheral-type benzodiazepine-receptor-associated protein (PAP) comprising culturing the host cell of claim 70 under suitable conditions to express a peripheral-type benzodiazepine-receptor-associated protein-7 (PAP7) encoded by the nucleic acid.
- 72. (Currently Amended) A diagnostic reagent comprising a nucleic acid of claim 46, wherein the nucleic acid is detectably labeled.
  - 73. (Previously Presented) A vector comprising the nucleic acid of claim 47.
  - 74. (Previously Presented) A host cell comprising the vector of claim 73.
- 75. (Previously Presented) A process of producing a peripheral-type benzodiazepine-receptor-associated protein (PAP) comprising culturing the host cell of claim 74 under suitable conditions to express a peripheral-type benzodiazepine-receptor-associated protein-7 (PAP7) encoded by the nucleic acid.

From-PILLSBURY WINTHROP

U.S. Patent Appl. No. 09/762594 Attorney Docket No.: 076934-0277848

76. (Currently Amended) A diagnostic reagent comprising a nucleic acid of claim 47, wherein the nucleic acid is detectably labeled.